



SCAN QR CODE
TO KNOW MORE

Sintex
SAAF. SAFE. SAHI.

SINTEX-BAPL LIMITED


Toll Free No.: 1800-121-2764

www.sintexonline.com

Email: sintex_support@welspun.com

 [sintex_bapl_limited](https://www.instagram.com/sintex_bapl_limited)  [sintexBAPLLimited](https://www.youtube.com/sintexBAPLLimited)  [Sintex BAPL Limited](https://www.facebook.com/SintexBAPLLimited)

**Next-Gen
Water
Management
Solutions**



SAFEGUARDING WATER, PROTECTING FAMILIES

As the pioneers in water storage solutions, Sintex believes in thinking innovatively and making life simpler for you. Our comprehensive range of products have been designed to do just that, with your needs in mind.

Crafted from 100% virgin and food grade materials, our tanks are built to last and maintain the highest standards of hygiene and technology that keeps India's water **Saaf, Safe and Sahi.**

Know more about our range of water storage solutions.



POWERED BY THE WELSPUN LEGACY


Welspun has successfully forayed across businesses like home textiles, advanced textiles, flooring solutions, retail, infrastructure, warehousing, line pipes, DI pipes, stainless steel & alloy, pig iron, TMT rebars and more. Keeping customer-centricity at the core, we are present in 50+ countries with a team of 30,000+ committed employees.


Our comprehensive and ever-expanding global presence enables us to leverage our business associations with a marquee of esteemed clients, especially in sectors like retail and Oil & Gas. We are partners by choice in some of the most challenging projects for the largest players globally.

Welspun is now the wind beneath our wings. It is a legacy that combines with our strengths to create an absolute world class organization, delivering a global product. Powered by Welspun, Sintex is today – a pioneer and a torch bearer of health and hygiene. A name that an entire country trusts and looks up to. An icon that through its past commitment and future forward thinking straddles both India's nostalgia and India's rise into a new age.

Here's to delivering innovations that are SAAF, SAFE, SAHI – to India and the world, with SINTEX.



 We have presence in over
50 Countries

 Strong team of
30000+ Employees

 Group revenue
US\$ 5 billion





Water Tanks | Community Panel Tanks | Underground Water Tanks
Septic Tanks | Sewage Treatment Plants

THANK YOU INDIA

- Leading Water Tank Brand of India since 50 years.
- 200 litres to 16 Lakh litres of tank capacity for Retail & Commercial usage.
- Category creators & leaders with top class Quality & Innovation.
- Sintex is now a part of Welspun World, a \$5 billion Indian conglomerate.

4P PRODUCT RANGE

With unique health advantages.

PROBLEM

The water stored in ordinary tank does not always remain safe for various household usage because it further develops fungus, algae, bacteria and virus.

SOLUTION

Sintex Water tanks comes with unique **Active Silver technology** that provides **4P Advantage** – **Protection against Virus, Bacteria, Fungus & Algae**



Sintex Water storage tanks come with “**Active Silver Technology**” that provides unique Anti-microbial layer that protects growth of pathogens under stored water condition.



SAAF PAANI, SAFE FAMILIES, SAHI HAI SINTEX



- Antibacterial activity and efficacy tested under lab conditions on representative organisms (S. Aureus ATCC 6538) as per JIS Z 2801 standards
- Anti-Virus activity and efficacy tested under lab conditions on representative organisms (Escherichia coli PHAGE MS2 (ATCC-15597-B1)) as per ISO 21702:2019 Standard
- Anti-fungal activity and efficacy tested under lab conditions on representative organisms as per ASTM G21:2015 Standard
- Anti-algae activity and efficacy tested under lab conditions on representative organisms (Chlorella pyrenoidosa and Scenedesmus abundans(1:1)) as per ASTM G29 Standard
- *Certified by independent third party NABL accredited lab. Actual performance may vary due to different environment and usage.
- **For more details, visit: <https://www.sintexonline.com/disclaimer>

SINTEX PURE THE HEALTHY TANK OF INDIA



SINTEX PURE+ THE HEALTHY TANK OF INDIA WITH ADVANCED PROTECTION



SINTEX TATVA THE TANK FOR ALL WEATHER CONDITIONS



SINTEX TRUPUF THE TANK FOR THE MOST EXTREME WEATHER TEMPRATURES



SINTEX PURE

THE HEALTHY TANK OF INDIA

Antimicrobial Innovation with Active Silver Technology



- 99% Effective against harmful bacteria, virus, fungus & algae
- ROHS compliant as per European Standard

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|--------|-------------------|-------|
| | (L) | (mm) | (In) | (mm) | (In) | (mm) |
| 500 | 900 | 35.43 | 970 | 38.19 | 407 | 16.02 |
| 750 | 1030 | 40.55 | 1100 | 43.31 | 407 | 16.02 |
| 1000 | 1105 | 43.50 | 1240 | 48.82 | 407 | 16.02 |
| 1500 | 1350 | 53.15 | 1295 | 50.98 | 410 | 16.14 |
| 2000 | 1350 | 53.15 | 1615 | 63.58 | 410 | 16.14 |
| 3000 | 1500 | 59.06 | 2020 | 79.53 | 515 | 20.28 |
| 5000 | 2000 | 78.74 | 1910 | 75.20 | 520 | 20.47 |
| 10000 | 2125 | 83.66 | 3160 | 124.41 | 520 | 20.47 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation.



AVAILABLE IN COLORS



*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

SINTEX PURE+

**+ THE HEALTHY
TANK OF INDIA
WITH ADVANCED
PROTECTION**

Anti-microbial Innovation
with Active Silver Technology



- 99% Effective against harmful bacteria, virus, fungus & algae
- ROHS compliant as per European Standard
- Multi-ribbed contemporary design
- Threaded lid

RANGE & SPECIFICATIONS

| CAPACITY (L) | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|-----------------|----------|-------|--------|-------|-------------------|-------|
| | (mm) | (In) | (mm) | (In) | (mm) | (In) |
| 500 | 900 | 35.43 | 1018 | 40.08 | 407 | 16.02 |
| 750 | 1030 | 40.55 | 1048 | 41.26 | 407 | 16.02 |
| 1000 | 1105 | 43.50 | 1342.5 | 52.85 | 407 | 16.02 |
| 1500 | 1300 | 51.18 | 1420 | 55.91 | 407 | 16.02 |
| 2000 | 1350 | 53.15 | 1704.5 | 67.11 | 407 | 16.02 |

Note: Dimension tolerance will be ±1.5%.



**AVAILABLE
IN COLORS**



*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

WATER TANKS FOR EVERY WEATHER CONDITIONS



SINTEX TATVA

THE TANK FOR ALL WEATHER CONDITIONS

Guards against extreme temperature variations




- Additional Reliable Protective Shield (ARPS) guards against extreme summer temperatures.
- 99% Effective against harmful bacteria, virus, fungus & algae
- Contemporary Design: Ensures long-lasting strength & durability

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|-------|-------------------|-------|
| (L) | (mm) | (in) | (mm) | (in) | (mm) | (in) |
| 1000 | 1105 | 43.50 | 1342 | 52.83 | 413 | 16.26 |
| 2000 | 1350 | 53.15 | 1705 | 67.13 | 413 | 16.26 |

Note: Dimension tolerance will be ±1.5%.



AVAILABLE IN COLORS




*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

SINTEX TRUPUF

THE TANK FOR THE MOST EXTREME WEATHER TEMPERATURES

Smart choice against steel tanks



- PUF Insulation: High-quality Polyurethane Foam (PUF) Insulation gives protection against temperature variations
- Insulation thickness is 50 mm. Insulation density is 40 kg/m³ (± 2kgs)
- 99% Effective against harmful bacteria, virus, fungus & algae
- Bolted Lid: Unique Self-locking Lid with Hexa Bolts

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|-------|-------------------|-------|
| (L) | (mm) | (In) | (mm) | (In) | (mm) | (In) |
| 1000 | 1215 | 47.83 | 1345 | 52.95 | 440 | 17.32 |

Note: Dimension tolerance will be ±1.5%. Insulation tolerance will be ±/-15%. Density tolerance will be ±/-5%.



Even in continuous 50°C for 6 hours outside, the water temperature inside the tank doesn't rise above 0.5°C

Even in continuous -20°C for 6 hours outside, the water temperature inside the tank doesn't drop below 0.5°C

*Certified by approved government accredited laboratory.

AVAILABLE IN COLORS

*Tested as per ISO 21702, JIS Z 2801, ASTM G 21 & ASTM G 29

POPULAR PRODUCT RANGE

Reliable & Dependable

SINTEX NEO
 THE SMART CHOICE

3
 ★ YEARS ★
 WARRANTY



SINTEX ACE
 THE 1ST SIDE HATCH TANK OF INDIA

10
 ★ YEARS ★
 WARRANTY



SINTEX RENO
 THE TANK BUILT TO LAST

5
 ★ YEARS ★
 WARRANTY



SINTEX CLASSIC
 THE ICONIC TANK OF INDIA

10
 ★ YEARS ★
 WARRANTY



SINTEX TITUS
 THE TANK THAT STANDS STRONG

10
 ★ YEARS ★
 WARRANTY



SINTEX ISI
 THE TRUSTED CHOICE OF INDIA

5
 ★ YEARS ★
 WARRANTY



SINTEX HERO
 THE HERO FOR EVERY HOME

10
 ★ YEARS ★
 WARRANTY



SINTEX LOFT
 THE GREAT SPACE SAVER

5
 ★ YEARS ★
 WARRANTY



SINTEX NEO

THE SMART CHOICE

Our most economical tank with same excellent hygiene features



- Multi-ribbed design: ensures long-lasting strength & durability
- ROHS compliant as per European Standard

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|-------|-------------------|-------|
| (L) | (mm) | (In) | (mm) | (In) | (mm) | (In) |
| 200 | 700 | 27.56 | 600 | 23.62 | 275 | 10.83 |
| 300 | 700 | 27.56 | 870 | 34.25 | 275 | 10.83 |
| 500 | 920 | 36.22 | 845 | 33.27 | 417 | 16.42 |
| 750 | 920 | 36.22 | 1245 | 49.02 | 417 | 16.42 |
| 1000 | 1100 | 43.31 | 1172 | 46.14 | 417 | 16.42 |

Note: Dimension tolerance will be ±1.5%, due to process limitation.
*Available from selected factories.



ANTI ALGAE



EXTRA THICK & FLEXIBLE MATERIAL FOR A LONG LIFE



100% FOOD GRADE PLASTIC



VIRGIN PLASTIC



STRONG & UNBREAKABLE



THREADED LID WITH UV PROTECTION

AVAILABLE IN COLORS



SINTEX RENO

**THE TANK
 BUILT TO LAST**

Assured performance with
 great value



- Multi-ribbed Design: Ensures long-lasting strength & durability
- ROHS compliant as per European Standard

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|--------|-------------------|-------|
| | (L) | (mm) | (In) | (mm) | (In) | (mm) |
| 500 | 900 | 35.43 | 885 | 34.84 | 400 | 15.75 |
| 700 | 900 | 35.43 | 1195 | 47.05 | 400 | 15.75 |
| 1000 | 1110 | 43.70 | 1170 | 46.06 | 406 | 15.75 |
| 1500 | 1365 | 53.74 | 1155 | 45.17 | 400 | 15.98 |
| 2000 | 1365 | 53.74 | 1515 | 59.65 | 407 | 15.75 |
| 2500 | 1365 | 53.74 | 1875 | 73.82 | 400 | 16.02 |
| 3000 | 1500 | 59.06 | 1830 | 72.05 | 400 | 15.75 |
| 5000 | 1800 | 70.87 | 2175 | 85.63 | 520 | 20.47 |
| 10000 | 2130 | 83.86 | 3155 | 124.21 | 510 | 20.08 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above due to process limitation.



ANTI ALGAE



100% UV STABILITY



ULTRA DURABLE



100% FOOD GRADE PLASTIC



VIRGIN PLASTIC

**AVAILABLE
 IN COLORS**



SINTEX TITUS

THE TANK THAT STANDS STRONG

Threaded Lid for safety,
an additional Black Lid for
UV Protection




- >99% Effective against harmful bacteria
- Stylish Looks with Multi-ribbed Design: Ensures strength & durability
- ROHS compliant as per European Standard

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | | |
|----------|----------|------|--------|------|-------------------|------|-------|
| | (l) | (mm) | (in) | (mm) | (in) | (mm) | (in) |
| 500 | | 920 | 36.22 | 918 | 36.14 | 430 | 16.93 |
| 750 | | 1030 | 40.55 | 1105 | 43.50 | 430 | 16.93 |
| 1000 | | 1100 | 43.31 | 1260 | 49.61 | 430 | 16.93 |
| 1500 | | 1350 | 53.15 | 1265 | 49.80 | 430 | 16.93 |
| 2000 | | 1350 | 53.15 | 1640 | 64.57 | 430 | 16.93 |

Note: Dimension tolerance will be ±1.5%, due to process limitation.*Available from selected factories.



AVAILABLE
IN COLORS



Tested as per JIS Z 2801 & ASTM G29

SINTEX HERO

THE HERO FOR EVERY HOME

True value for your investment



- Stylish Looks with Multi-ribbed Design: Ensures strength & durability
- ROHS compliant as per European Standard

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|-------|--------|-------|-------------------|-------|
| | (L) | (mm) | (In) | (mm) | (In) | (mm) |
| 500 | 900 | 35.43 | 1005 | 39.57 | 395 | 15.55 |
| 750 | 1030 | 40.55 | 1100 | 43.31 | 395 | 15.55 |
| 1000 | 1105 | 43.50 | 1283 | 50.51 | 395 | 15.55 |
| 1500 | 1350 | 53.15 | 1295 | 50.98 | 395 | 15.55 |
| 2000 | 1350 | 53.15 | 1650 | 64.96 | 395 | 15.55 |
| 5000 | 2000 | 78.74 | 1900 | 74.80 | 395 | 15.55 |

Note: Dimension tolerance will be ±1.5%.



ANTI ALGAE



100% UV STABILITY



ULTRA DURABLE



100% FOOD GRADE PLASTIC



VIRGIN PLASTIC



THREADED LID WITH UV PROTECTION

AVAILABLE IN COLORS



SINTEX ACE

THE 1ST SIDE HATCH TANK OF INDIA

Easy to clean and check the water level without climbing the tank



- >99% Effective in protecting from harmful bacteria
- Multi-ribbed Design: Ensures strength & durability
- Side-hatch, helps in ease of cleaning

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | | |
|----------|----------|------|--------|------|-------------------|------|-------|
| | (l) | (mm) | (in) | (mm) | (in) | (mm) | (in) |
| 500 | | 920 | 36.22 | 1012 | 39.84 | 405 | 15.94 |
| 750 | | 1030 | 40.55 | 1145 | 45.08 | 405 | 15.94 |
| 1000 | | 1100 | 43.31 | 1328 | 52.28 | 405 | 15.94 |
| 2000 | | 1350 | 53.15 | 1694 | 66.69 | 405 | 15.94 |
| 5000 | | 2000 | 78.74 | 1980 | 77.95 | 405 | 15.94 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L, due to process limitation.

ANTI-BACTERIAL

ANTI-ALGAE

EASY TO CLEAN

100% FOOD GRADE PLASTIC

VIRGIN PLASTIC

ULTRA DURABLE

THREADED LID WITH UV PROTECTION

100% UV STABILITY

AVAILABLE IN COLORS



Tested as per JIS Z 2801 & ASTM G29

SINTEX CLASSIC

**THE ICONIC
 TANK OF INDIA**

Classic Heritage product
 now available in White also



- Made with 100% Food Grade Plastic
- Multi-ribbed Design: Ensures long-lasting strength & durability

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | | |
|----------|----------|------|--------|------|-------------------|------|-------|
| | (L) | (mm) | (In) | (mm) | (In) | (mm) | (In) |
| 500 | 500 | 1030 | 40.55 | 755 | 29.72 | 400 | 15.75 |
| 500 | 500 | 900 | 35.43 | 970 | 38.19 | 407 | 16.02 |
| 700 | 700 | 1030 | 40.55 | 1080 | 42.52 | 407 | 16.02 |
| 750 | 750 | 1030 | 40.55 | 1100 | 43.31 | 407 | 16.02 |
| 1000 | 1000 | 1105 | 43.50 | 1240 | 48.82 | 407 | 16.02 |
| 1500 | 1500 | 1350 | 53.15 | 1295 | 50.98 | 410 | 16.14 |
| 2000 | 2000 | 1350 | 53.15 | 1615 | 63.58 | 410 | 16.14 |
| 2000 | 2000 | 1400 | 55.12 | 1580 | 62.20 | 520 | 20.47 |
| 2500 | 2500 | 1500 | 59.06 | 1720 | 67.72 | 515 | 20.28 |
| 3000 | 3000 | 1500 | 59.06 | 2020 | 79.53 | 515 | 20.28 |
| 5000 | 5000 | 2000 | 78.74 | 1910 | 75.20 | 520 | 20.47 |
| 5000* | 5000* | 2000 | 78.74 | 2000 | 78.74 | 940 | 37.01 |
| 7500 | 7500 | 2000 | 78.74 | 2890 | 113.78 | 520 | 20.47 |
| 10000 | 10000 | 2550 | 100.39 | 2530 | 99.61 | 520 | 20.47 |
| 10000* | 10000* | 2125 | 83.66 | 3160 | 124.41 | 520 | 20.47 |
| 15000* | 15000* | 2550 | 100.39 | 3580 | 140.94 | 520 | 20.47 |
| 15000* | 15000* | 3000 | 118.11 | 2830 | 111.42 | 510 | 20.08 |
| 20000* | 20000* | 2580 | 101.57 | 4620 | 181.89 | 520 | 20.47 |
| 20000* | 20000* | 3000 | 118.11 | 3390 | 133.46 | 521 | 20.51 |
| 25000* | 25000* | 3050 | 120.08 | 4070 | 160.24 | 520 | 20.47 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation. *Available from selected factories.



**ANTI-ALGAE
 FORMATION**



**100%
 FOOD GRADE
 PLASTIC**



**WIDE RANGE
 500 L TO 25,000 L**



**ULTRA
 DURABLE**



**VIRGIN
 PLASTIC**


**AVAILABLE
 IN COLORS**



SINTEX ISI

**THE TRUSTED
CHOICE OF INDIA**

Widely preferred ISI tank



- 100% Food grade plastic
- Conforms to standards specified in 12701-1996 (Reaffirmed 2006)

RANGE & SPECIFICATIONS

| CAPACITY | DIAMETER | | HEIGHT | | DIAMETER OF HATCH | |
|----------|----------|--------|--------|--------|-------------------|-------|
| | (L) | (mm) | (In) | (mm) | (In) | (mm) |
| 300 | 750 | 29.53 | 875 | 34.45 | 280 | 11.02 |
| 500 | 1030 | 40.55 | 755 | 29.72 | 400 | 15.75 |
| 500 | 900 | 35.43 | 970 | 38.19 | 407 | 16.02 |
| 700 | 1030 | 40.55 | 1080 | 42.52 | 407 | 16.02 |
| 1000 | 1105 | 43.50 | 1240 | 48.82 | 407 | 16.02 |
| 1500 | 1350 | 53.15 | 1295 | 50.98 | 410 | 16.14 |
| 2000 | 1400 | 55.12 | 1580 | 62.20 | 520 | 20.47 |
| 2500 | 1500 | 59.06 | 1720 | 67.72 | 515 | 20.28 |
| 3000 | 1500 | 59.06 | 2020 | 79.53 | 515 | 20.28 |
| 5000 | 2000 | 78.74 | 1910 | 75.20 | 520 | 20.47 |
| 7500 | 2000 | 78.74 | 2890 | 113.78 | 520 | 20.47 |
| 10000 | 2550 | 100.39 | 2530 | 99.61 | 520 | 20.47 |
| 10000 | 2125 | 83.66 | 3160 | 124.41 | 520 | 20.47 |
| 15000 | 2550 | 100.39 | 3580 | 140.94 | 520 | 20.47 |
| 20000 | 2580 | 101.57 | 4620 | 181.89 | 520 | 20.47 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation.
*Available from selected factories.



ANTI-ALGAE



ULTRA DURABLE



VIRGIN PLASTIC



100% FOOD GRADE PLASTIC



ISI STANDARD

SINTEX LOFT

**THE GREAT
 SPACE SAVER**

Compact design to fit
 available space



- Multi-purpose usage: bathroom, kitchen, etc
- ROHS compliant as per European standard

RANGE & SPECIFICATIONS

| CAPACITY | LENGTH | | WIDTH | | HEIGHT UPTO TOP RIM | | DIAMETER OF MANHOLE | |
|----------|--------|-------|-------|-------|---------------------|-------|---------------------|-------|
| | (l) | (mm) | (In) | (mm) | (In) | (mm) | (In) | |
| 100 | 590 | 23.23 | 590 | 23.23 | 385 | 15.16 | 305 | 12.01 |
| 150 | 720 | 28.35 | 720 | 28.35 | 385 | 15.16 | 305 | 12.01 |
| 200 | 960 | 37.80 | 720 | 28.35 | 360 | 14.17 | 305 | 12.01 |
| 220 | 1030 | 40.55 | 720 | 28.35 | 385 | 15.16 | 305 | 12.01 |
| 270 | 1090 | 42.91 | 720 | 28.35 | 430 | 16.93 | 305 | 12.01 |
| 275 | 1250 | 49.21 | 890 | 35.04 | 325 | 12.80 | 305 | 12.01 |
| 300 | 1220 | 48.03 | 830 | 32.68 | 350 | 13.78 | 305 | 12.01 |
| 375 | 1255 | 49.41 | 955 | 37.60 | 385 | 15.16 | 305 | 12.01 |
| 400 | 1550 | 61.02 | 1000 | 39.37 | 325 | 12.80 | 305 | 12.01 |
| 425* | 1255 | 49.41 | 955 | 37.60 | 407 | 17.13 | 305 | 12.01 |
| 460* ** | 1524 | 60.00 | 927 | 36.50 | 325 | 16.02 | 305 | 12.01 |
| 475* | 1585 | 52.40 | 1155 | 45.47 | 435 | 12.80 | 305 | 12.01 |
| 500 | 1400 | 55.12 | 1000 | 39.37 | 510 | 17.13 | 305 | 12.01 |
| 500* ** | 1525 | 60.04 | 800 | 31.50 | 510 | 20.08 | 305 | 12.01 |
| 625* | 1440 | 56.69 | 970 | 38.19 | 535 | 21.06 | 305 | 12.01 |
| 825* | 1960 | 77.17 | 990 | 38.98 | 545 | 21.46 | 305 | 12.01 |
| 1000* | 1990 | 78.35 | 990 | 38.98 | 635 | 25.00 | 305 | 12.01 |

Note: Dimension tolerance will be ±1.5%, due to process limitation.
 *Double-lid. **Available from selected factories.



**ULTRA
 DURABLE**



**COMPACT
 LOOK**



**VIRGIN
 PLASTIC**














**100% FOOD
 GRADE
 PLASTIC**

**AVAILABLE
 IN COLORS**



RANGE OF SINTEX OVERHEAD WATER STORAGE TANKS

| PRODUCTS |  |  |  |  |  |  |  |  |  |  |  |
|--|---|---|---|--|---|---|---|---|---|---|---|
| | SINTEX TRUPUF | SINTEX TATVA | SINTEX PURE+ | SINTEX PURE | SINTEX ACE | SINTEX CLASSIC | SINTEX HERO | SINTEX TITUS | SINTEX RENO | SINTEX NEO | SINTEX LOFT |
| ANTI-VIRAL | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| ANTI-BACTERIAL | ✓ | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✓ | ✗ | ✗ | ✗ |
| ANTI-ALGAE | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✗ |
| ANTI-FUNGAL | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ |
| UV PROTECTION | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | BOTH TANK AND LID ARE UV STABILIZED | ✗ |
| THREADED LID | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ | ✓ | ✗ |
| AVAILABLE COLOURS | WHITE | WHITE, BLUE YELLOW, GREEN | WHITE, BLUE YELLOW, GREEN | WHITE, BLUE YELLOW, GREEN | WHITE, BLUE YELLOW, GREEN | BLACK, WHITE | WHITE, BLUE YELLOW, GREEN | WHITE, BLUE YELLOW, GREEN | BLACK, WHITE, | WHITE, BLUE YELLOW, GREEN | WHITE, BLACK |
| CAPACITIES OF TANKS AVAILABLE (LITRES) | 1000 | 1000, 2000 | 500, 750, 1000, 1500, 2000 | 500, 750, 1000, 1500, 2000, 3000, 5000, 10000 | 500, 750, 1000, 2000, 5000 | 500, 750, 1000, 1500, 2000, 2500, 3000, 5000, 7500, 10000, 15000, 20000, 25000 | 500, 1000, 2000, 5000, | 500, 750, 1000, 1500, 2000 | 500, 1000, 1500, 2000, 2500, 3000, 5000, 10000 | 200, 300, 500, 750, 1000 | 100, 150, 200, 225, 270, 300, 375, 400, 425, 460, 475, 500, 625, 825, 1000 |
| WARRANTY | 15 YEAR | 15 YEAR | 15 YEAR | 15 YEAR | 10 YEAR | 10 YEAR | 10 YEAR | 10 YEAR | 5 YEAR | 3 YEAR | 5 YEAR |
| MANUFACTURING PROCESS | ROTO MOULDING | ROTO MOULDING | ROTO MOULDING | ROTO MOULDING | ROTO MOULDING | ROTO MOULDING | ROTO MOULDING | BLOW MOULDING | ROTO MOULDING | BLOW MOULDING | ROTO MOULDING |

Also available: India's trusted ISI Tank which conforms to Standards Specified in 12701-1996 (Reaffirmed 2006)

SINTEX KLEANKIT

**SAFEGUARDING
 YOUR FAMILY'S
 HEALTH**

Cleaning kit for all types of tanks



- A comprehensive cleaning solution designed specifically for water storage tanks
- It includes descaling, neutralizing, and disinfecting solutions, ensuring a thorough clean
- Removes hard and sticky dust or scaling layers
- Versatile solution that can be used for both internal and external tank cleaning
- Maintains pH and lead levels, ensuring no adverse effects on water quality

CLEAN AND SAFE TANK IN 3 SIMPLE STEPS:



REMOVE



RINSE



CLEANSE



**Scan QR code to
 Watch Now**

**SINTEX PURE
 COMMUNITY PANEL TANK**

**SMART SOLUTIONS
 LARGE STORAGEES**

It is SAFER, SMARTER & SUSTAINABLE as compared to RCC Tanks. Easier to install, easier to maintain, easier to move

Reclaim your terrace space with Sintex Pure Community Tank.

SIMPLIFY WITH SINTEX

Replace multiple individual water tanks with one 25,000L+ Sintex Pure Community Panel Tank and save precious space.




The Conventional Way



Sintex Way



Scan to play the video of community tanks



Re-imagining community water storage solutions. A fantastic solution for community water storage needs.



Lightweight



Rust-free



Customisable



Virgin Plastic



100% Food Grade Plastic



No Algae Formation



FDA Approved



Rapid Installation



CUSTOMIZED LARGE WATER STORAGE SOLUTIONS FOR VARIOUS INSTITUTIONS

Railway Stations | Hospitals | Hotels | Educational Institutions | Commercial Complexes
 Defence Areas | Malls | PWD | CPWD | Data Centres | IT Parks | Other Public Utilities

Preferred installation under various Jal Jeevan Mission

Why Sintex Pure Community Panel Tanks are superior to RCC Tanks?

- Easy to install, move, and clean
- Hygienic Water Storage: Offers safer, cleaner water compared to concrete tanks, with protection from algae growth and leaching
- Designed to last up to 50 years with leak proof operations
- Comprehensive Solution by Sintex:
 - Rooftop inspection to assess site details
 - Customized design based on capacity, space, and cost requirements
 - Professional installation as per the tailored design

Easy steps to get Community Panel Tank for your premises

- Express interest about Community Panel Tank with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



Prestigious Installations



Udyog Bhawan



Rashtrapati Bhawan

84,000 litres of tank installed in Leela Business Park, Mumbai



**SINTEX UNDERGROUND
 WATER TANKS – SUMPS**

**STURDY DESIGN,
 EASY INSTALLATION,
 ENDURING
 PERFORMANCE**

Specially designed for
 underground applications



- One-piece moulded design: No joints, seams or welds
- Impermeable to roots of trees
- Can be installed without an additional retaining wall Strong
- SMC lid

RANGE & SPECIFICATIONS

| CAPACITY | | DIAMETER | | HEIGHT | |
|----------|--|----------|-------|--------|-------|
| (L) | | (mm) | (In) | (mm) | (In) |
| 1000 | | 1200 | 47.24 | 1385 | 54.53 |
| 2000 | | 1400 | 55.12 | 1850 | 72.83 |
| 3000 | | 1650 | 64.96 | 1950 | 76.77 |
| 4000 | | 1800 | 70.87 | 2150 | 84.65 |
| 5000 | | 2000 | 78.74 | 2250 | 88.58 |
| 6000 | | 2150 | 84.65 | 2300 | 90.55 |

| NO. OF MANHOLE | MANHOLE EXTENSION | | MANHOLE DIAMETER | |
|-------------------|----------------------|------|---------------------|-------|
| (L) | (mm) | (In) | (mm) | (In) |
| 1 | 200 | 7.87 | 400 | 15.75 |
| 1 | 200 | 7.87 | 400 | 15.75 |
| 1 | 200 | 7.87 | 400 | 15.75 |
| 1 | 200 | 7.87 | 400 | 15.75 |
| 1 | 200 | 7.87 | 400 | 15.75 |
| 1 | 200 | 7.87 | 400 | 15.75 |

-  **100% FOOD GRADE PLASTIC**
-  **VIRGIN PLASTIC**
-  **ULTRA DURABLE**
-  **STRONG LID**

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L, due to process limitation. *Available from selected factories.

**SINTEX UNDERGROUND
 WATER TANKS (FRP)**

**DURABLE, HYGIENIC
 AND SPACE SAVING
 IN ONE TANK**

Underground tanks made from Fiber Reinforced Plastic (FRP) that can endure earth's pressure and make the tanks strong and more durable



- Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Non-porous and does not allow water to get contaminated
- Impermeable to roots of trees
- Available for 10,000 to 50,000 litres storage capacity

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| UNDERGROUND ONGROUND INSTALLATION | FULLY AUTOMATED | LEAK PROOF, RUST FREE & NON CORROSION | LIGHTWEIGHT | EASY INSTALLATION | 50 YEARS+ LIFESPAN |

SINTEX ADVANCED SEPTIC TANKS

WASTE MANAGEMENT, MADE EASY & EFFICIENT

Manufactured with advanced technology fo effective domestic wastewater treatment system



ALSO AVAILABLE IN PWTS & AST SERIES

WHAT'S ADVANCED ABOUT SINTEX ADVANCED SEPTIC TANKS?

- Normal Septic Tanks reduce BOD by only 40%
- Sintex's cutting-edge technology reduces BOD by 70%
- Ranges from 800 Litre - 6000 Litre capacity





RUST/CORROSION PROOF & LEAK PROOF



NO ELECTRICITY USED



EASY TRANSPORTATION & INSTALLATION



FLEXIBLE-IN & OUTLET



PALL RING MEDIA

Easy steps to get Septic Tanks for your premises

- Express interest about Septic Tank with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



Site visit payment is collected in advance, billed separately by the Service team, and accepted via bank transfer to Sintex BAPL. This amount will be adjusted against the final payment.

SINTEX PACKAGED SEWAGE TREATMENT PLANTS

RECLAIM WATER, RETHINK WATER MANAGEMENT

Built with durable FRP materials, our sewage treatment plants convert grey water into safe, reusable water for irrigation and cleaning, promoting efficient waste management



WHAT'S ADVANCED ABOUT SINTEX ADVANCED SEPTIC TANKS?

- Virgin Plastic: For better strength, durability & flexibility
- Treats wastewater close to the source
- Recycle between 10 to 650 KLD
- Negligible maintenance cost
- Saves power



**UNDERGROUND
 ONGROUND
 INSTALLATION**



**REDUCES BOD
 BY 90-95%**



**FULLY
 AUTOMATED**



**LEAK PROOF,
 RUST FREE &
 NON CORROSION**




LIGHTWEIGHT



**EASY
 INSTALLATION**



**50 YEARS+
 LIFESPAN**




Easy steps to get Sewage Treatment for your premises

- Express interest about Sewage treatment plant with your nearest retailer or reach out to us using the QR code
- Provide your storage tank requirements
- Fix site inspection with Sintex team by paying a token advance payment to Sintex BAPL
- Post site inspection, get a detailed storage tank recommendation customised for your premises.
- Final payment & tank installation



WATER TANKS MYTHS & FACTS



MYTH

Local tanks offer exact water storage capacity as promised.

FACT

Local competitors' tanks provide 10% to 15% less water storage than what they claim. Whereas, Sintex tanks offer exact water storage capacity as promised.



MYTH

Only virgin (non-recycled) plastic is used in making all water tanks.

FACT

Competitors' tanks often use recycled plastic, which may contain harmful chemicals like lead and phthalates. Sintex tanks are made from 100% virgin plastic, ensuring total safety.



MYTH

Competitors' tanks are heavier, so that means they are sturdier too.

FACT

Local brands add calcium carbonate and fillers to their tanks, making the water hazardous. In contrast, Sintex tanks are designed to be lighter, stronger, and safer.



MYTH

The harder the tank, the more durable it is.

FACT

Overhead tanks must expand and contract with water levels and temperature changes. Rigid tanks can crack easily, but Sintex uses LLDPE, making them more flexible and durable.



MYTH

Detergent is good enough to clean the water tank.

FACT

Using detergents for cleaning water tanks can be hazardous due to the chemical residues they leave behind. Switching to Sintex KleanKit can help ensure your water storage tanks are clean and safe for use.



MYTH

Our competitors make tanks using only food grade plastic.

FACT

Many competitors use recycled plastic, which may contain fillers, toxins, and carcinogens like phthalates. Sintex tanks, made from food-grade plastic, ensure safe and hygienic water storage.



MYTH

Our competitors sell tanks that have 4, 5, 6 or even 7 layers. This means they are much stronger.

FACT

More layers in a tank don't equate to increased strength. Additional layers provide no real benefits and can make the tank unnecessarily rigid and heavy.



MYTH

All non-black tanks of the competitors are UV stabilized like Sintex tanks.

FACT

Most competitors' non-black tanks lack complete UV protection, leading to algae growth and unhealthy water. In contrast, all Sintex tanks, whether black or non-black, are UV protected.




MYTH

The lid of a tank does not need UV protection.

FACT

As the topmost part of a tank, the lid requires UV protection more than any other surface. Competitors' non-black tanks lack UV protection on their lids, while Sintex is the trusted brand in the country to offer complete UV protection for non-black tank lids.



MYTH

Every black tank is a Sintex tank.

FACT

Remember the saying, "All that glitters is not gold"? This applies to Sintex as well. Customers may go to buy a Sintex tank but end up with a competitor's product. All Sintex tanks feature our logo, so customers should ensure they look for it.